

Custom publish actions

Overview

Custom publish actions

Action	Profile type	Interface	Source	Target	
<input type="text" value="COPY"/>	<input type="text" value="-"/>	<input type="text" value="CSX"/>	<input type="text" value="externalnr;genInternalTaxes"/>	<input type="text" value="AP*{} {}"/>	<input checked="" type="checkbox"/>
<input type="text" value="COPY"/>	<input type="text" value="C"/>	<input type="text" value="CSX"/>	<input type="text" value="genFixed12356"/>	<input type="text" value="ES{}-R"/>	<input checked="" type="checkbox"/>
<input type="text" value="COPY"/>	<input type="text" value="T"/>	<input type="text" value="CSX"/>	<input type="text" value="email"/>	<input type="text" value="RM*INVOICETO"/>	<input checked="" type="checkbox"/>
<input type="text" value="FILTER"/>	<input type="text" value="C"/>	<input type="text" value="CSX"/>	<input type="text" value="//shortname"/>	<input type="text" value="delete PCN"/>	<input checked="" type="checkbox"/>
<input type="text" value="FILTER"/>	<input type="text" value="T"/>	<input type="text" value="CSX"/>	<input type="text" value="//frequentTravellerSection"/>	<input type="text" value="delete FFN"/>	<input checked="" type="checkbox"/>
<input type="text" value="Add new"/>					

Description

Field	Description
Action	Select COPY or FILTER for your action
Profile type	A distinction is made between Traveller, Company, and Traveller as well as Company. T is for Traveller, C for Company and "-" is for both profile types(T & C). Select between T,C and - to determine on which profile type the values should either be published or filtered out
Interface	Indicate which interface the action will affect
Source	Indicate the source needed for a customized copy action or the filter needed to remove specific copy actions already programmed in the standard User Interface (UI)
Target	Indicate the target for copy actions or for filter actions, insert a free text describing the value that has been filtered out

The sources for the **COPY** function of company profile data can be found under [Copy - Company](#). The sources for the **COPY** function of traveller profile data is found in the first line (header line) of the traveller CSV that is downloaded from Faces. For fields that allow the use of the "Add new" function, multiple information i.e multiple frequent flyer programs are present in the CSV file. If 0-n lists (FQTV or passports) are copied, either an index (passports0, passports1) can be used, or use the index placeholder '#' (# passports). The latter then copies all existing indexes. Any extra copy sources not covered by the CSV are listed under [Copy - Traveller](#).

FILTER examples can be found under [Filter - Traveller](#) and [Filter - Company](#)

Filters use [XPath expressions](#) to find element nodes that should be excluded from the published XML.