Interface setup

Overview

Interface setup

Target GDS	✓ Amadeus CSX
Travel department	Travel department
Travel dep. access	Travel dep. access
Reporting Office	Reporting Office

Target GDS	Galileo WS
	PCC
	PCC
	Host Access Profile
	Host Access Profile
Agency location	Agency location

Interface setup

Target GDS	✓ Amadeus CSX			
	Galileo WS			
	PCC			
	PCC			
	Host Access Profile			
	Host Access Profile			
	✓ Cytric			
	Cytric server			
	Cytric server			
	Cytric org.			
	Cytric org.	Q		
	Sabre Profiles			
Travel department	Travel department			
Travel dep. access	Travel dep. access			
Reporting Office	Reporting Office			
Agency location	location Agency location			

Description

The fields visible under this section maybe more or less depending on the interfaces that have been activated. Below is an illustration of some of the fields.

Field	Description					
Target GDS	Check boxes of interfaces that have been activated on the agency i.e Amadeus, Galileo, Sabre and so on					
Interfaces						

	Travel Department OID Register the Amadeus Office ID to which the profile will be synchronized (optional - only needed if the profile should be synchronized to a different OID as the one set on the agency. If the field is empty, the profile will be synchronized to the main office ID set on the agency					
	Reporting Office ID will be transmitted as "shadow destination" (A.I.R - FK and ES element)					
Concur						
	Refresh Toke	en En	Enter provided refresh token provided for the Concur entity/ site ID			
	Travel Config ID		Enter the respective travel config. ID			
Conferma			ter the respective GUID			
Cytric						
,	Cytric server	Entry o	f Cytric server if differs form the standard agency setting			
	Cytric org	Search	of the respective Cytric Location and Divison for the profile			
	Disconnect travellers from Cytric	All Cytric login names in the traveller profiles, Cytric Org Id and Travel Groups will be removed from Faces although the profiles will still stay in Faces. The profiles will not be deleted from Cytric either. The connect between Faces and Cytric is hence disconnected and profiles are retained in both systems separately				
	Main Group	Drop down of the travel groups from which one must select the main travel group				
	Travel					
	Groups, Group ID, Description	Jonipa	.,			
-volvi	Group ID,	o sin pa	, , ,			
Evolvi	Group ID,		Enter the respective username			
Evolvi	Group ID, Description	ername				
Evolvi	Group ID, Description Auth. org. us	ername	Enter the respective username			
	Group ID, Description Auth. org. us Auth. org. pa	ername ssword sation ID	Enter the respective username Enter the respective password Search field in which the respective organisation ID is selectable			
	Group ID, Description Auth. org. us Auth. org. pa Auth. organis	ername ssword sation ID	Enter the respective username Enter the respective password			
	Group ID, Description Auth. org. us Auth. org. pa Auth. organis	ername ssword sation ID	Enter the respective username Enter the respective password Search field in which the respective organisation ID is selectable Register the Galielo PCC to which the profile will be synchronized. If the field is empty, the profile will be			
	Auth. org. us Auth. org. pa Auth. organis PCC Host Access	ername ssword sation ID	Enter the respective username Enter the respective password Search field in which the respective organisation ID is selectable degister the Galielo PCC to which the profile will be synchronized. If the field is empty, the profile will be synchronized to the main PCC set on the agency			
Galileo	Auth. org. us Auth. org. pa Auth. organis PCC Host Access Profile (HAP)	ername ssword sation ID	Enter the respective username Enter the respective password Search field in which the respective organisation ID is selectable Register the Galielo PCC to which the profile will be synchronized. If the field is empty, the profile will be ynchronized to the main PCC set on the agency Inter the HAP corresponding to the above entered Galileo PCC			
Evolvi Galileo Get There	Auth. org. us Auth. org. pa Auth. organis PCC Host Access Profile (HAP)	ername ssword sation ID R s tion E	Enter the respective username Enter the respective password Search field in which the respective organisation ID is selectable Register the Galielo PCC to which the profile will be synchronized. If the field is empty, the profile will be ynchronized to the main PCC set on the agency Inter the HAP corresponding to the above entered Galileo PCC			
Galileo	Auth. org. us Auth. org. pa Auth. organis PCC Host Access Profile (HAP) Agency Loca	ername ssword sation ID R s tion E	Enter the respective username Enter the respective password Search field in which the respective organisation ID is selectable Register the Galielo PCC to which the profile will be synchronized. If the field is empty, the profile will be synchronized to the main PCC set on the agency Inter the HAP corresponding to the above entered Galileo PCC Intry of the 3-letter-Code where the agency/company is located. (Galileo Phonefield Element)			

Sabre					
	IPCC Register the Galielo PCC to which the profile will be synchronized. If the field is empty, the profile will be synchronized to the main PCC set on the agency				
	Agency En Location	Entry of the 3-letter-Code where the agency/company is located. (Sabre City Airport Code)			
	Company Se Template	Search of respective Sabre company templates			
	Traveller Se Template				
Trainline					
	Corporate Reference E		Inter Trainline corporate reference		
VIBE					
	Corporate ID		Enter VIBE corporate ID	Enter VIBE corporate ID	
	Override storefront URL		Enter a different URL to override the default URL set on the agency		
Farelogix	Only check box, no additional fields				
Atriis	Only check box, no additional fields				
Tramada	Only check box, no additional fields				
Atlatos	Only check box, no additional fields				
Travelport Hotelzon	Only check box, no additional fields				
ehotels	Only check box, no additional fields				
Magnatech	No checkbox, only activated on the agency				
Traveldoo	Needs company specific field configuration				
KDS	Needs company specific field configuration				