

# Release Note 7. April 2021

## My Agency & Company Setup - Custom field Mapping design

A new design to add field mapping configuration will be available in all agency & company configurations. The new mapping configuration provides more structured space to store the preferred command to a custom field.

### Old design:

#### Custom field definitions

Label	Mand.	R/W	CSX prefix	GWS	Cytric	Sabre	GetThere	Concur	GENERIC_HTTP	AeTM	Billing	Name	Field	Validation	Profile type
Custom Field 1	Opl	RE/	RM*	NF	FDF	5.F	Custom	Custr	CustomField1	2	-	Cus	INP		T

Add new

Field Mapping Configuration

### New design:

#### Custom field definitions

Label	Mand.	R/W	Billing	Name	Field	Validation	Profile type	Field Mapping
Custom Filed 1	Optional	READ_WRITE	-	CustomFiled1	INPUT		T	<div>8 Mapping(s) Galileo WS: NPFREETEXT- AeTM: 2 Amadeus CSX: RM*FREETEXT- Cytric: FDF1 Sabre: 5 FREETEXT- GetThere: Customfield1 atris: Customfield1 concur: Customfield1</div>

Add new

Field Mapping Configuration

The click to the

▼ 8 Mapping(s)

displays the details and allows to create, update, delete the mapping to the different interfaces.

## Custom field definitions

General

Label	Mand.	R/W	Billing	Name	Field	Validation	Profile type	Field Mapping
Custom Filed 1	Optional	READ_WRITE	-	CustomFiled1	INPUT		T	8 Mapping(s) Galileo WS: NPFFREETEXT- AeTM: 2 Amadeus CSX: RM*FREETEXT- Cytric: FDF1 Sabre: 5.FREETEXT- GetThere: Customfield1 atris: Customfield1 concur: Customfield1

Galileo WS: NPFFREETEXT-

AeTM: 2

Amadeus CSX: RM\*FREETEXT-

Cytric: FDF1

Sabre: 5.FREETEXT-

GetThere: Customfield1

atris: Customfield1

concur: Customfield1

Add new

### Notes:

- All field mapping will be migrated to the new design on agency and company level
- The interface label in custom fields & actions comes from the interface credentials label
- Old XML mappings configuration can be used for import
- Field Mappings that are configured and stored at the company level with a disabled Target GDS (System) are not displayed. Once Target GDS is enabled the mapping is shown
- Company Setup will only show enabled Target GDS in the custom fields mapping
- In case multiple Cytric and Generic HTTP (Atriiis, Atlatos etc.) are activated in the agency, the new mapping will show multiple Cytric and Generic HTTP. This will provide the possibility to store different mapping to e.g. Cytric. Mapping migration will automatically store existing mapping to all Cytric and Generic HTTP

## Multiple Concur Credentials

We improved the usage of multiple Concur Credentials within a single agency. It is now possible to store multiple Concur credentials (TMC-Tree, Non-Tree etc.) by providing a unique label.

Note: Interfaces can only be added by an Umbrella Support agent or Circle Administrator.

## Interfaces

Target system	CONCUR	✖
Label	Concur Umbrella	
URL	URL	
Username	2bc923f3 [REDACTED] d16068b7f	
Password	.....	Test login
Default interface	<input type="checkbox"/>	
Access Token Endpoint	Access Token Endpoint	
Link existing Sabre profile upon creation from Concur	<input checked="" type="checkbox"/>	

  

Target system	CONCUR	✖
Label	Concur Faces	
URL	URL	
Username	8d35fd3 [REDACTED] 417b0108a	
Password	.....	Test login
Default interface	<input type="checkbox"/>	
Access Token Endpoint	Access Token Endpoint	
Link existing Sabre profile upon creation from Concur	<input type="checkbox"/>	

## Approver/Arranger - visibility all fields

All Faces fields are now available for profiles that are only set as an Approver and/or Arranger. For these types of profiles, all Faces fields can be updated in the way you are able to for travellers.