

Mapping details Gender, Greeting, Title, Title US/UK all target systems

Target System	PUSH - Title structure: Default (Europe)	PUSH - Title structure: Compound (US/UK)	POLL/IMPORT - Title structure: Default (Europe)	POLL/IMPORT - Title structure: Compound (US/UK)
Amadeus	<p>Gender: SR DOCS</p> <p>Greeting: All pushed at end of first name: e.g. MILLER/JOHN MR</p> <ul style="list-style-type: none"> MR MRS MISS MS <p>Title: All pushed at end of first name e.g. MILLER/JOHN DR MR</p> <ul style="list-style-type: none"> DR PROF 	<p>Gender: SR DOCS</p> <p>Title: All pushed at end of first name: e.g. MILLER/JOHN LORD</p> <ul style="list-style-type: none"> MR MRS MS MISS MASTER MX DR PROF SIR REV LORD LADY 	<p>Gender: used from SR DOCS If no SR DOCS gender will be set from MR, MRS</p> <p>Greeting: from Name element</p> <p>Title: from Name element</p>	<p>Gender: used from SR DOCS If no SR DOCS gender will be set from MR, MRS</p> <p>Title: from Name element</p>
Concur	<p>Gender: Gender/TSA Info only Male and Female are pushed</p> <p>Greeting & Title: Personal Information / Title</p> <p>All Greetings and Title are pushed</p> <ul style="list-style-type: none"> MR MRS MS MISS DR PROF <p>Also combination of MR DR, MRS PROF etc.</p> <p>Concur Source:</p> <ul style="list-style-type: none"> customTitle Gender <p>overrides Faces standard fields</p>	<p>Gender: Gender/TSA Info only Male and Female are pushed</p> <p>Title: Personal Information / Title</p> <p>All Titles are pushed</p> <ul style="list-style-type: none"> MR MRS MS MISS MASTER MX DR PROF SIR REV LORD LADY <p>Concur Source:</p> <ul style="list-style-type: none"> customTitle Gender <p>overrides Faces standard fields</p>	<p>In case Concur Sources</p> <ul style="list-style-type: none"> customTitle Gender <p>are in use in custom field the poll will import the Concur gender and title into the Faces Standard field and custom fields.</p> <p>Greetings will be automatically selected from Gender if no Title is available. (Male = MR, Female = MS)</p>	<p>In case Concur Sources</p> <ul style="list-style-type: none"> customTitle Gender <p>are in use in custom field the poll will import the Concur gender and title into the Faces Standard field and custom fields</p>
Conferma	<p>Gender: no synch</p> <p>Greeting: Title</p> <p>Title: Title overrides Greeting</p> <ul style="list-style-type: none"> DR PROF <p>Conferma Source:</p> <ul style="list-style-type: none"> Salutation <p>overrides Faces Title</p>	<p>Gender: no synch</p> <p>Title: Title</p> <p>Titles pushed are</p> <ul style="list-style-type: none"> MR MRS MS MISS MX DR PROF LORD SIR REV <p>No push for</p> <ul style="list-style-type: none"> MASTER LADY <p>Conferma Source:</p> <ul style="list-style-type: none"> Salutation <p>overrides Faces Title</p>	No import	No import

Cytric	<p>Gender: Personal Data / Gender</p> <p>Greeting: Personal Data / Greeting</p> <p>All greetings are pushed</p> <ul style="list-style-type: none"> • MR • MRS • MISS • MS <p>Title: Personal Data / Title</p> <p>All titles pushed are pushed</p> <ul style="list-style-type: none"> • DR • PROF <p>Cytric Source:</p> <ul style="list-style-type: none"> • personalDataGender <p>overrides Faces Gender field</p>	<p>Gender: Personal Data / Gender</p> <p>Title: Personal Data / Greeting In case Faces Title are selected</p> <ul style="list-style-type: none"> • MR • MRS • MS • MISS <p>Personal Data / Title</p> <p>In case Faces Title are selected</p> <ul style="list-style-type: none"> • MASTER • LORD • LADY • SIR • REV • DR • PROF • Title MX is not mapped. 	Import works same as push	In case multiple Titles and one Greeting are selected, Faces imports/stores only the first Title form the XML. Therefore, Faces to Cytric Synch overrides other stored Titles and Greetings and only push one Title or Greeting
Deem	<p>Gender: Personal Info/Gender</p> <p>Male, Female, Unspecified/Others are pushed. No synch of Undisclosed</p> <p>Greeting; Personal Info/Title</p> <p>Title: Personal Info/Title</p> <p>overrides Greeting</p> <ul style="list-style-type: none"> • DR • PROF <p>Deem Source:</p> <ul style="list-style-type: none"> • title • gender <p>overrides Faces standard field</p>	<p>Gender: Personal Info/Gender</p> <p>Male, Female, Unspecified/Others are pushed. No synch of Undisclosed</p> <p>Title: Personal Info/Title</p> <p>All titles pushed</p> <ul style="list-style-type: none"> • MR • MRS • MS • MISS • MASTER • MX • DR • PROF • SIR <p>Titles are not pushed</p> <ul style="list-style-type: none"> • LORD • LADY • REV <p>Deem Source:</p> <ul style="list-style-type: none"> • title • gender <p>overrides Faces standard field</p>	<p>Import works same as push</p> <p>When custom fields are added with source:</p> <ul style="list-style-type: none"> • title • gender <p>It will poll info into standard fields and also push the information into custom fields</p>	<p>Import works same as push</p> <p>When custom fields are added with source:</p> <ul style="list-style-type: none"> • title • gender <p>It will poll info into standard fields and also push the information into custom fields</p>
Evolvi	<p>Gender: Title</p> <p>Male, Female are pushed. No synch of Undisclosed, Unspecified/Others</p> <p>Greeting: Title</p> <p>Title: Title</p> <p>overrides Greeting</p> <ul style="list-style-type: none"> • DR • PROF 	<p>Gender. Title</p> <p>Male, Female are pushed. No synch of Undisclosed, Unspecified/Others</p> <p>Title: Title</p> <p>In case title is empty,</p> <ul style="list-style-type: none"> • Gender Male pushes MR • Gender Female pushes MS <p>All titles pushed</p> <ul style="list-style-type: none"> • MR • MRS • MS • MISS • MASTER • MX • DR • PROF • SIR • LORD • LADY • REV 	No Import	No import

Farelogix	<p>Gender: Information/Personal Data/Gender</p> <p>Greeting: PNR Elements/Traveller/Title Information/Documents/Title</p> <p>Title: PNR Elements/Traveller/Title Information/Documents/Title</p> <p>All titles pushed after Greeting</p> <ul style="list-style-type: none"> • DR • PROF 	<p>Gender: Information/Personal Data/Gender</p> <p>Title: PNR Elements/Traveller/Title Information/Documents/Title All titles pushed MR MRS MS MISS MASTER MX DR PROF LORD LADY SIR REV</p>	no import	no import
Galileo/Worldspan	<p>Based on used sources gdsName gdsNameShort (without middle name)</p> <p><lastname>/<first name> <middle name> <title> <greeting></p> <p>All greetings pushed at end of first name or title: e.g. MILLER/JOHN MR</p> <ul style="list-style-type: none"> • MR • MRS • MISS • MS <p>All titles pushed at end of first name e.g. MILLER/JOHN DR MR</p> <ul style="list-style-type: none"> • DR • PROF 	<p>Based on used sources gdsName gdsNameShort (without middle name)</p> <p><lastname>/<first name> <middle name> <title></p> <p>All titles pushed at end of first name: e.g. MILLER/JOHN LORD</p> <ul style="list-style-type: none"> • MR • MRS • MS • MISS • MASTER • MX • DR • PROF • SIR • REV • LORD • LADY 	<p>Based on used sources Worldspan no poll/import</p>	<p>Based on used sources Worldspan no poll/import</p>
GetThere	<p>Gender: Personal Information / Gender</p> <p>Greeting: Personal Information / Title</p> <p>All Greetings pushed MR</p> <ul style="list-style-type: none"> • MRS • MS • MISS <p>Title: Personal Information / Title</p> <p>Pushed</p> <ul style="list-style-type: none"> • DR <p>not pushed</p> <ul style="list-style-type: none"> • PROF <p>Title overrides greeting</p> <p>GetThere Source:</p> <ul style="list-style-type: none"> • gender • ntitle <p>will override Faces standard fields</p>	<p>Gender: Personal Information / Gender</p> <p>Title: Personal Information / Title</p> <p>All titles pushed</p> <ul style="list-style-type: none"> • MR • MRS • MS • MISS • DR <p>Titles are not pushed</p> <ul style="list-style-type: none"> • MASTER • MX • PROF • SIR • LORD • LADY • REV <p>GetThere Source:</p> <ul style="list-style-type: none"> • gender • ntitle <p>will override Faces standard fields</p>	Import works same as push	Import works same as push

Sabre	<p>Gender: Traveler Information / Traveler Information /Gender</p> <p>Greeting: Traveler Information / Traveler Name /Title All greetings are pushed</p> <ul style="list-style-type: none"> • MR • MRS • MISS • MS <p>Title: Traveler Information / Traveler Name /Title overrides Greeting</p> <ul style="list-style-type: none"> • DR • PROF <p>Sabre Sources:</p> <ul style="list-style-type: none"> • genderCode • namePrefix <p>override the Faces standard fields</p>	<p>Gender: Traveler Information / Traveler Information /Gender</p> <p>Title: Traveler Information / Traveler Name /Title All titles pushed</p> <ul style="list-style-type: none"> • MR • MRS • MS • MISS • MASTER • MX • DR • PROF • LORD • LADY • SIR • REV <p>Sabre Sources:</p> <ul style="list-style-type: none"> • genderCode • namePrefix <p>override the Faces standard fields</p>	<p>In case Sabre Sources</p> <ul style="list-style-type: none"> • genderCode • namePrefix <p>are in use in custom field the poll will import the Sabre gender and title into the Faces Standard field and custom fields</p>	<p>In case Sabre Sources</p> <ul style="list-style-type: none"> • genderCode • namePrefix <p>are in use in custom field the poll will import the Sabre gender and title into the Faces Standard field and custom fields</p>
Trainline	<p>Gender: Your details / Title</p> <p>Male, Female are pushed. No synch of Undisclosed, Unspecified/Others</p> <p>Greeting overrides Gender and if there is a title it overrides greeting</p> <p>Greeting: Your details / Title</p> <p>Title: Your details / Title overrides Greeting</p> <ul style="list-style-type: none"> • DR • PROF 	<p>Gender: Your details / Title</p> <p>Male, Female are pushed. No synch of Undisclosed, Unspecified/Others</p> <p>Only when no title is filled, otherwise title overrides gender.</p> <p>Title: Your details / Title</p> <p>All titles pushed</p> <ul style="list-style-type: none"> • MR • MRS • MS • MISS • DR • PROF • SIR • LORD • LADY • REV <p>Titles are not pushed</p> <ul style="list-style-type: none"> • MASTER • MX 	No import	No Import
Tramada	<p>Gender: no synch</p> <p>Greeting: Title</p> <p>Title: Title overrides Greeting</p> <ul style="list-style-type: none"> • DR • PROF 	<p>Gender: no synch</p> <p>Title: Title</p> <p>Titles pushed are</p> <ul style="list-style-type: none"> • MR • MRS • MS • MISS • MX • DR • PROF • LORD • SIR • REV <p>No push for</p> <ul style="list-style-type: none"> • MASTER • LADY 	No import	No import

Umbrella.net	<p>Gender: Title</p> <ul style="list-style-type: none"> Undisclosed (pushed as blank) <p>Greeting: Title</p> <ul style="list-style-type: none"> MR MRS MS <p>Note: Greeting MISS and Gender UNSPECIFIED/OTHERS are not supported and pushed as blank!</p>	not supported	<p>Gender: Title used to get pushed to Gender</p> <ul style="list-style-type: none"> MR Male MRS Female MS Female blank Undisclosed <p>Greeting: pushed from Title</p> <ul style="list-style-type: none"> MR MRS MS 	not supported
Vibe	<p>Gender: Personal Details/Gender</p> <p>Male, Female, Unspecified/Others are pushed. No synch of Undisclosed</p> <p>Greetings: Personal Details/Title</p> <p>Greetings are pushed</p> <ul style="list-style-type: none"> MR MRS MS MISS <p>Title: no synch</p>	<p>Gender: Personal Details/Gender</p> <p>Male, Female, Unspecified/Others are pushed. No synch of Undisclosed</p> <p>Title: Personal Details/Title</p> <p>Titles are pushed</p> <ul style="list-style-type: none"> MR MRS MS MISS MASTER <p>Titles are not pushed</p> <ul style="list-style-type: none"> MX SIR LORD LADY DR PROF REV 	No import	No import